
# Explanatory Notes to Senior Secondary Mathematics Curriculum — Compulsory Part



# **Contents**

		Page
Foreword		i
Learning Unit 1	Quadratic equations in one unknown	1
Learning Unit 2	Functions and graphs	4
Learning Unit 3	Exponential and logarithmic functions	7
Learning Unit 4	More about polynomials	10
Learning Unit 5	More about equations	12
Learning Unit 6	Variations	14
Learning Unit 7	Arithmetic and geometric sequences and their summations	15
Learning Unit 8	Inequalities and linear programming	17
Learning Unit 9	More about graphs of functions	19
Learning Unit 10	Equations of straight lines	21
Learning Unit 11	Basic properties of circles	23
Learning Unit 12	Loci	26
Learning Unit 13	Equations of circles	27
Learning Unit 14	More about trigonometry	28
Learning Unit 15	Permutations and combinations	30
Learning Unit 16	More about probability	32
Learning Unit 17	Measures of dispersion	34
Learning Unit 18	Uses and abuses of statistics	36
Learning Unit 19	Further applications	37
Learning Unit 20	Inquiry and investigation	38
Acknowledgements		39



#### Foreword

To keep abreast of the ongoing development of school curriculum, *Mathematics Curriculum and Assessment Guide (Secondary 4 - 6)*, hereinafter referred to as "C&A Guide", was updated in December 2017. Senior Secondary Mathematics Curriculum comprises a Compulsory Part and an Extended Part. The Extended Part has two modules, namely Module 1 (Calculus and Statistics) and Module 2 (Algebra and Calculus).

In the C&A Guide, the Learning Objectives of the Compulsory Part are grouped under different Learning Units in the form of a table. The notes in the "Remarks" column of the table in the C&A Guide provide supplementary information about the Learning Objectives. The explanatory notes in this booklet aim at further explicating:

- 1. the requirements of the Learning Objectives of the Compulsory Part;
- 2. the strategies suggested for the teaching of the Compulsory Part;
- 3. the connections and structures among different Learning Units of the Compulsory Part;
- 4. the context of development from different key stages, such as Key Stage 3, to the Compulsory Part; and
- 5. the curriculum articulation between the Compulsory Part and the Extended Part.

The explanatory notes in this booklet together with the "Remarks" column and the suggested lesson time of each Learning Unit in the C&A Guide are to indicate the breadth and depth of treatment required. Teachers are advised to teach the contents of the Compulsory Part as a connected body of mathematical knowledge and develop in students the capability to use mathematics to solve problems, reason and communicate. Furthermore, it should be noted that the ordering of the Learning Units and Learning Objectives in the C&A Guide does not represent a prescribed sequence of learning and teaching. Teachers may arrange the learning content in any logical sequence which takes account of the needs of their students.

Comments and suggestions on this booklet are most welcomed. They should be sent to:

Chief Curriculum Development Officer (Mathematics)
Curriculum Development Institute
Education Bureau
4/F, Kowloon Government Offices
405 Nathan Road, Kowloon

Fax: 3426 9265

E-mail: ccdoma@edb.gov.hk

equations in one unknown  1.2 form quadratic equations from given roots  1.3 solve the equation $ax^2 + bx + c = 0$ by plotting the	Le	arning Unit	Learning Objective	
equations in one unknown $ \begin{vmatrix} 1.2 & \text{form quadratic equations from given roots} \\ 1.3 & \text{solve the equation} & ax^2 + bx + c = 0 & \text{by plotting the} \end{vmatrix} $	Nu	Number and Algebra Strand		
graph of the parabola $y = ax^2 + bx + c$ and reading the <i>x</i> -intercepts  1.4 solve quadratic equations by the quadratic formula  1.5 understand the relations between the discriminant of a quadratic equation and the nature of its roots  1.6 solve problems involving quadratic equations  1.7 understand the relations between the roots and coefficients and form quadratic equations using these relations  1.8 appreciate the development of the number systems including the system of complex numbers  1.9 perform addition, subtraction, multiplication and division of complex numbers		Quadratic equations in	<ol> <li>solve quadratic equations by the factor method</li> <li>form quadratic equations from given roots</li> <li>solve the equation ax² + bx + c = 0 by plotting the graph of the parabola y = ax² + bx + c and reading the x-intercepts</li> <li>solve quadratic equations by the quadratic formula</li> <li>understand the relations between the discriminant of a quadratic equation and the nature of its roots</li> <li>solve problems involving quadratic equations</li> <li>understand the relations between the roots and coefficients and form quadratic equations using these relations</li> <li>appreciate the development of the number systems including the system of complex numbers</li> <li>perform addition, subtraction, multiplication and</li> </ol>	19

In Learning Unit 8 "Linear equations in one unknown" at Key Stage 3 (KS3), students learnt how to formulate and solve linear equations in one unknown. They also learnt how to formulate simultaneous linear equations in two unknowns, and solve them by both the algebraic method and the graphical method in Learning Unit 9 "Linear equations in two unknowns". In the Compulsory Part, students are required to solve quadratic equations and other more complicated algebraic equations.

In this Learning Unit, students are required to use:

- the factor method
- the quadratic formula
- the graph of the parabola  $y = ax^2 + bx + c$

to solve the quadratic equation  $ax^2 + bx + c = 0$ , and to form a quadratic equation from given roots. Students should be able to choose an appropriate strategy in solving quadratic equations.

The graphical method will be further elaborated in Learning Objective 9.2, and teachers should pay attention to the Explanatory Notes to Learning Unit 9 "More about graphs of functions".

Students should be able to solve the problems involving quadratic equations. The problems should be related to their experiences as far as possible. Solving the equations which can be transformed into quadratic equations, such as  $\frac{6}{x} + \frac{6}{x-1} = 5$  and related

problems, and solving higher degree equations by using the factor theorem or the graphs of functions will be treated in Learning Unit 4 "More about Polynomials", Learning Unit 5 "More about Equations", and Learning Unit 9 "More about Graphs of Functions" accordingly.

In this Learning Unit, all the coefficients of quadratic equations and the given roots in Learning Objective 1.2, are confined to real numbers.

Regarding the expression of the solutions to quadratic equations, it should be noted that performing mixed arithmetic operations of simple quadratic surds in Learning Objective 4.3 at KS3 belong to the Non-foundation Topics. In this connection, when using the quadratic formula to solve quadratic equations such as  $x^2 - 4x - 4 = 0$ , the students who have not studied the above-mentioned topics in the Non-foundation Topics are **not required** to simplify surds like  $2 \pm \frac{\sqrt{32}}{2}$ .

Students are required to understand the relations between the discriminant of a quadratic equation and the nature of its roots in addition to solving quadratic equations. In the C&A Guide, the term "understand" usually implies a more demanding Learning Objective than the term "recognise" does. For example, in Learning Objective 1.5 "understand the relations between the discriminant of a quadratic equation and the nature of its roots" means that students are required to know the details of the relations, the justification of why the relations hold, and how to use these relations to perform further operations and solve problems.

The concept of complex numbers is introduced in Learning Objective 1.8. When students are asked to determine the nature of the roots of a quadratic equation with a negative discriminant, they are required to point out that "the equation has **no real roots**" or, more precisely, "the equation has **two nonreal** roots" instead of "the equation has no roots" or "the equation has two complex roots". The students who do not study Learning Objective 1.9 (Non-foundation Topics) are **not required** to express the nonreal roots in the form of  $a \pm bi$  when using the quadratic formula to solve quadratic equations.

Students are required to understand the relations between the roots and the coefficients, which includes:

• 
$$\alpha + \beta = -\frac{b}{a}$$
 and  $\alpha\beta = \frac{c}{a}$ , where  $\alpha$  and  $\beta$  are the roots of the equation  $ax^2 + bx + c = 0$  and  $a \neq 0$ .

Teachers may discuss with students or let them explore other relations between the roots and coefficients, such as  $\alpha^2 + \beta^2$ . Nevertheless, memorisation of these results is **not required**.

Mathematical concepts have come a long way and their development has often been influenced by cultures and other humanistic factors. The development of number systems makes no exception. By organising various activities, such as decorating display boards or reading projects, teachers may get students to appreciate how number systems were developed from the natural number system to the rational number system, the real number system and the complex number system. For example, "Why did Pythagoreans in ancient Greece not accept the existence of irrational numbers?", "Why were imaginary numbers not well-articulated until the sixteenth century?", etc. are some interesting topics for discussion. Moreover, teachers may ask students to discuss topics such as the hierarchy of the number system, the representation of terminating decimals and recurring decimals in fractional form, and the proof of irrationality of numbers such as  $\sqrt{2}$ ,  $\frac{1+\sqrt{5}}{2}$ , etc.


The students who study Learning Objective 1.9 (Non-foundation Topics) should be able to perform the addition, subtraction, multiplication and division of complex numbers, of which the form is confined to the standard form  $a \pm bi$ . The polar form of complex numbers, Argand diagram and De Moivre's theorem are **not required** in the Curriculum.

Teachers may refer to the C&A Guide (pp. 101 - 102) for using the co-construction approach to teach the quadratic formula.

Lea	arning Unit	Lear	Learning Objective	
Nu	mber and Algeb	ora St	rand	
2.	Functions and graphs	2.1	recognise the intuitive concepts of functions, domains and co-domains, independent and dependent variables	10
		2.2	recognise the notation of functions and use tabular, algebraic and graphical methods to represent functions	
		2.3	understand the features of the graphs of quadratic functions	
		2.4	find the maximum and minimum values of quadratic functions by the algebraic method	

In Learning Objectives 7.3 and 7.4 at KS3, students had a preliminary recognition of the concept of sequences, which may be considered as an embryonic form of functions. In this Learning Unit, students are required to recognise the intuitive concepts of functions, dependent and independent variables. They should also be able to distinguish between the examples of functions and non-functions. Furthermore, students are required to recognise the intuitive concepts of domain and co-domain as these two concepts are indispensable for defining functions. Students are required to recognise that even with the same relations between variables, different choices of domains and co-domains result in different functions, and in some cases non-function. Knowing these two concepts can help students compare different functions in detail (see the Remarks of Learning Objective 3.4), but using set language to rigorously define functions or express ranges are **not required** in the Curriculum. Besides, compositions of functions are **not required** in the Curriculum. When students encounter functions such as  $f(x) = \sin x^2$ , they may simply regard the calculation of the functional value as a sequence of consecutive manipulations, say in the above-mentioned example: taking the square of x and the sine of the square.

When explicating the notations of function, teachers may introduce the concept of dummy variables. There are various ways to represent functions. Under different circumstances, teachers may adopt different methods, i.e. tabular, algebraic, graphical methods, or even the following intuitive method to represent functions:



Having acquired the concept of functions, students are required to consolidate the concept by studying their familiar quadratic functions, and to understand the following features of the graphs of quadratic functions.

- The vertex
- The axis of symmetry
- The direction of opening
- Its relations with the axes

Students should be able to determine the direction of opening of the graph of a quadratic function from the coefficient of  $x^2$ , which is the leading coefficient, to find the y-intercept from the constant term, and to use the discriminant to determine whether the graph cuts the x-axis. On the other hand, students should also be able to read, from the graph of a quadratic function, the information about its axis of symmetry and vertex. They are also required to understand the relation between the maximum/minimum value of the quadratic function and the vertex of its graph, and hence be able to find the maximum/minimum value of the quadratic function by the graphical method.

The students who study Learning Objective 2.4 (Non-foundation Topics) should be able to use the algebraic method to find the maximum/minimum value of a quadratic function, and to solve related problems. Apart from the method of completing the square, teachers may introduce other algebraic methods. For instance, teachers may guide the more able students to recognise, from the characteristics of the graphs of quadratic functions, that the x-coordinate of the vertex of  $y = x^2 - 2x$  is  $\frac{\alpha + \beta}{2} = 1$ . By substituting x = 1, they can obtain the minimum value of the function, i.e.  $1^2 - 2(1) = -1$ . Using differentiation to find maximum and minimum values is **not required** in the Compulsory Part, and belongs to a Learning Objective of the Learning Unit "Applications of Differentiation" of Module 1 or Module 2 of the Extended Part.

Teachers may lead students to further explore other relations between the coefficients of the quadratic functions and the corresponding graphs. For example, to determine, from the sign of the value of  $\alpha\beta$ , whether the two *x*-intercepts are on the same side or opposite sides of

the y-axis; to determine whether the values of a, b and c are 0, positive, or negative from the graph of the quadratic function  $y = ax^2 + bx + c$ .

Learning Unit	Learning Objective	Time	
Number and Algeb	Number and Algebra Strand		
3. Exponential and logarithmic functions	<ul> <li>3.1 understand the definitions of rational indices</li> <li>3.2 understand the laws of rational indices</li> <li>3.3 understand the definition and properties of logarithms (including the change of base)</li> <li>3.4 understand the properties of exponential functions and logarithmic functions and recognise the features of their graphs</li> <li>3.5 solve exponential equations and logarithmic equations</li> <li>3.6 appreciate the applications of logarithms in real-life situations</li> </ul>	16	
	3.7 appreciate the development of the concepts of logarithms		

In Learning Unit 10 "Laws of Integral indices" at KS3, student understood the concepts of integral indices, including the definitions of  $a^n$ ,  $a^0$  and  $a^{-n}$  (where n is a positive integer). In this Learning Unit, students are required to understand how the definition of indices is extended from integral indices to rational ones so that the laws of indices will still hold for most cases. Students are required to understand the definitions of rational indices:  $\sqrt[n]{a}$ ,  $a^{\frac{1}{n}}$  and  $a^{\frac{m}{n}}$ , where a is a positive real number, m is an integer and n is a positive integer. Though students at KS3 learnt how to evaluate simple expressions  $\sqrt[n]{a}$  (e.g.  $\sqrt[3]{-8}$ ), when n is an odd and a is negative, the written form  $(-8)^{\frac{1}{3}}$  should be avoided. Furthermore, students are required to understand that the laws of indices do not hold when a is negative.

The laws of rational indices in Learning Objective 3.2 include:

 $\bullet \qquad a^p \, a^q = a^{p+q}$ 

$$\bullet \quad \frac{a^p}{a^q} = a^{p-q}$$

$$\bullet \quad (a^p)^q = a^{pq}$$

• 
$$a^p b^p = (ab)^p$$

$$\bullet \quad \frac{a^p}{b^p} = \left(\frac{a}{b}\right)^p$$

The properties of logarithms in Learning Objective 3.3 include:

- $\log_a 1 = 0$
- $\log_a a = 1$
- $\log_a MN = \log_a M + \log_a N$

$$\bullet \quad \log_a \frac{M}{N} = \log_a M - \log_a N$$

• 
$$\log_a M^k = k \log_a M$$

$$\bullet \quad \log_b N = \frac{\log_a N}{\log_a b}$$

When studying the laws of rational indices and the properties of logarithms, students are required to clearly understand the necessary conditions for the assertion. For example, when  $\log_a 1 = 0$ , a must be positive and  $a \ne 1$ .

Once students understand the formula for the change of base, they can make use of calculators to obtain the value of any logarithm (e.g.  $\log_2 3$ ). However, the study of natural logarithm, a Learning Objective in the Extended Part, is **not required** in the Compulsory Part.

Although indices in Learning Objective 3.2 are confined to rational numbers, students are required to recognise that the definition of real indices is a further extension of rational indices. The details of extension are **not required** in the Curriculum, but it may be an interesting topic for further exploration. On the other hand, students should be aware that the domain of exponential functions is the set of real numbers, while the domain of logarithmic functions is the set of positive real numbers. The domain of the latter is different from that of the quadratic functions with which students are familiar. Teachers may guide their students to discuss the differences between the graphs of the exponential

functions (and the logarithmic functions) for a > 1 or 0 < a < 1. Students are required to recognise that when a > 1 (or 0 < a < 1) and the real number x increases, the function  $f(x) = a^x$  and  $f(x) = \log_a x$  (where x > 0) increases (or decreases), and the graphs of  $y = a^x$  and  $y = \log_a x$  (where x > 0) are symmetric to y = x. Since the concept of inverse functions is **not required** in the Curriculum, the term "inverse function" **need not be** introduced when discussing the symmetric relation between the graphs of  $y = a^x$  and  $y = \log_a x$ . When students understood the relation between exponential functions and logarithmic functions, they can deduce the corresponding features of logarithmic functions from those of exponential functions. Through various examples such as  $y = 2^x$ ,  $y = x^2$  and  $y = x^3$ , teachers may discuss the rate of increasing/decreasing of the functions.

Learning Objective 3.5 mainly covers simple equations such as  $2^x = 5$  or  $\log_3(x+4) = 2$ . The equations which can be transformed into quadratic equations such as  $4^x - 3 \cdot 2^x - 4 = 0$  or  $\log_2(x+1) + \log_2(x-3) = 3$  are tackled in Learning Objective 5.3.

In this Learning Unit, students are required to understand the concepts of exponential and logarithmic functions. Teachers may consider using real-life examples or related learning elements in Science Education or Technology Education KLAs, such as measuring earthquake intensity in the Richter Scale and sound intensity level in decibels, to let students appreciate the applications of logarithms in real-life situations and understand why logarithms have to be involved in these formulae, to enhance students' ability and confidence in applying mathematical knowledge or skills as well as processes of mathematical modelling in real-life situations or STEM related scenarios. Students may try to use different formulae to calculate the earthquake intensity, but memorisation of such formulae is **not required**.

By organising various activities for students to experience the difficulties in performing complicated operations without any calculation tools, teachers may guide students to discuss the topics such as the history of development of the concepts of logarithm and its applications to the design of some calculation tools in the past, such as slide rules and the logarithmic table.

Students studying Module 1 or Module 2 of the Extended Part will continue the study of other properties and applications of exponential functions and logarithmic functions.

Lea	arning Unit	Learn	Learning Objective	
Nu	mber and Algeb	ra Str	and	
4.	More about	4.1	perform division of polynomials	14
	polynomials	4.2	understand the remainder theorem	
		4.3	understand the factor theorem	
		4.4	understand the concepts of the greatest common divisor and the least common multiple of polynomials	
		4.5	perform addition, subtraction, multiplication and division of rational functions	

In Learning Unit 11 "Polynomials" at KS3, students learnt addition, subtraction and multiplication of polynomials, and factorisation of simple polynomials. In Learning Objective 13.1 at KS3, they also learnt the operations of algebraic fractions having denominators as the product of linear factors. In this Learning Unit, students are required to further their study on the division of polynomials, more complicated problems on factorisation of polynomials, and manipulations on rational functions with denominators of degree higher than one. Addition, subtraction, multiplication and division of rational functions can be considered as mixed arithmetic operations of polynomials.

Long division is a standard procedure for performing the division of polynomials. Teachers may introduce other procedures, such as synthetic division. It should however be noted that complicated computations of polynomials are **not** the objective of the Curriculum.

Students are required to understand the significance of the division algorithm f(x) = g(x)Q(x) + R(x) and understand how to deduce the remainder theorem under the condition g(x) = ax + b. The factor theorem may be considered as a special case of the remainder theorem. When using the factor theorem to factorise polynomials, teachers may lead students to appreciate its usefulness (e.g. to solve some equations with degree greater than two) and observe its limitations (e.g. not all higher degree equations can be solved efficiently by this method).

Students are required to use the factor theorem to decompose polynomials such as  $x^3 \pm a^3$ , but memorisation of identities involving factorisation of  $x^3 \pm a^3$  is **not required**.

To articulate with the Extended Part, the term "rational function" is used in this Learning Unit to replace the term "algebraic fraction" used at KS3. Nevertheless, the study of the properties of rational functions is **not required** in the Compulsory Part.

The concepts of the greatest common divisor and the least common multiple play a crucial role in performing addition, subtraction, multiplication, division and simplification of rational functions. In this connection, students are required to understand these two concepts comprehensively. Teachers may review with students the concepts of greatest common divisor and least common multiple of numbers before introducing the similar concepts for polynomials. When teaching the greatest common divisor (sometimes called "the highest common divisor") and the least common multiple (sometimes called "the lowest common multiple"), teachers should feel free to choose any commonly used short form, such as "H.C.F.", "gcd" or "(a, b)", to denote the greatest common divisor of a and b. To facilitate students to read other reference books, teachers should introduce other commonly used short forms in addition to the chosen one. When performing the operations of addition, subtraction, multiplication and division of rational functions, the number of variables should not be more than two to avoid over-complicated computations. Division of rational functions includes computations like " $\frac{1}{x^2-y^2}$  is divided by  $\frac{1}{x+y}$ ", but it should be noted that complicated computations are **not** the objective of this Learning Unit.

Learning Unit	Learning Objective	Time
Number and Algeb	ora Strand	
5. More about equations	<ul> <li>5.1 use the graphical method to solve simultaneous equations in two unknowns, one linear and one quadratic in the form y = ax² + bx + c</li> <li>5.2 use the algebraic method to solve simultaneous equations in two unknowns, one linear and one quadratic</li> <li>5.3 solve equations (including fractional equations, exponential equations, logarithmic equations and trigonometric equations) which can be transformed into quadratic equations</li> <li>5.4 solve problems involving equations which can be transformed into quadratic equations</li> </ul>	10

In Learning Unit 9 "Linear equations in two unknowns" at KS3, students learnt how to formulate simultaneous linear equations in two unknowns, and use the algebraic method and the graphical method to solve simultaneous linear equations in two unknowns. In this Learning Unit, one of the simultaneous equations will be quadratic, and the problems will be extended from those in Learning Objective 1.6 to the problems involving equations which can be transformed into quadratic equations. Students should note the differences the number of solutions of simultaneous equations, between one linear and one quadratic equation, and simultaneous linear equations.

Students are **not required** to study the graphs of quadratic equations such as  $x = y^2 - 3y + 6$  or  $xy + y^2 = 1$  in the Compulsory Part. Hence, when using the graphical method to solve simultaneous equations in Learning Objective 5.1, the quadratic equations in two unknowns should be confined to the form  $y = ax^2 + bx + c$ . However, there are no such restrictions when using the algebraic method to solve simultaneous equations in two unknowns, one linear and one quadratic.

Students are required to note whether the solutions are reasonable or not when solving equations which can be transformed into quadratic equations. For example, when solving the equation  $2\sin^2\theta - 5\sin\theta + 2 = 0$ , students are required to note that  $\sin\theta = 2$  does not

give a real solution. Moreover, the solutions of equations involving trigonometric functions are confined to the interval from  $0^{\circ}$  to  $360^{\circ}$  (see Learning Objective 14.2).

In order to arouse students' interest, teachers may select the problems related to students' daily-life experience when teaching Learning Objective 5.4. Through discussion, teachers may lead students to discover the diversity of methods of solving equations. Students should explore various problem solving strategies and be able to select the most appropriate one.

Learning U	nit	Lear	ning Objective	Time
Number ar	Number and Algebra Strand			
6. Variation	ons	6.1 6.2 6.3	understand direct variations and inverse variations, and their applications to solving real-life problems understand the graphs of direct and inverse variations understand joint and partial variations, and their applications to solving real-life problems	7

In Learning Unit 6 "Rates, ratios and proportions" at KS3, students recognised direct proportion, inverse proportion and some relations between quantities. In Learning Unit 2 "Functions and graphs", they are required to learn the basic concept of functions and thus recognised that relations may hold between variables. In this Learning Unit, different forms of the relations between variables will be further elaborated, including direct variation, inverse variation, joint variation, partial variation, and their daily-life applications. Teachers may consider using real-life examples or related learning elements in Science Education or Technology Education KLAs, such as applying variations to solve problems about mathematical modelling, to enhance students' ability and confidence in applying mathematical knowledge or skills in real-life situations or STEM related scenarios.

Although students at KS3 learnt direct proportion and inverse proportion, and how to solve problems involving proportions, they might not understand how to deal with direct proportion and inverse proportion by using the concept of variations, i.e. direct variation y = kx and inverse variation  $y = \frac{k}{x}$ . When discussing the graphs of the direct variation y = kx and inverse variation  $y = \frac{k}{x}$ , teachers may remind their students that the domains of the two functions may contain negative real numbers.

When solving problems involving partial variation, students usually have to solve quadratic or higher degree equations. Therefore, students should study Learning Unit 1 "Quadratic equation in one unknown" and Learning Unit 4 "More about polynomials" before this Learning Unit.

Lea	arning Unit	Lear	ning Objective	Time
Nu	mber and Algeb	ra Stı	rand	
7.	Arithmetic and geometric sequences and their summations	7.1 7.2 7.3 7.4 7.5	understand the concept and the properties of arithmetic sequences understand the general term of an arithmetic sequence understand the concept and the properties of geometric sequences understand the general term of a geometric sequence understand the general formulae of the sum to a finite number of terms of an arithmetic sequence and a geometric sequence and use the formulae to solve related problems explore the general formulae of the sum to infinity for certain geometric sequences and use the formulae to solve related problems	17
		7.7	solve related problems solve related real-life problems	

In Learning Objective 7.3 at KS3, students learnt the concept of sequences of numbers when studying number patterns. In this Learning Unit, they are required to further understand the concepts, properties, the general formulae of summations of the two common sequences (arithmetic sequences and geometric sequences) and their applications.

Teachers may guide students to investigate the following property: for any real numbers a and k, the sequences  $T_1 + a$ ,  $T_2 + a$ ,  $T_3 + a$ , ... and  $kT_1$ ,  $kT_2$ ,  $kT_3$ , ... must be arithmetic if  $T_1$ ,  $T_2$ ,  $T_3$ , ... is an arithmetic sequence, and hence the sequence  $kT_1 + a$ ,  $kT_2 + a$ ,  $kT_3 + a$ , ... is also arithmetic. Moreover, students should be able to discover that, when the sequence  $T_1$ ,  $T_2$ ,  $T_3$ ,... is geometric and  $k \ne 0$ , the sequence  $kT_1$ ,  $kT_2$ ,  $kT_3$ , ... is geometric. The discussion on whether the sequence 0, 0, 0,... is geometric is **not required** in the Compulsory Part.

Teachers may introduce examples such as  $a_n = a_{n-1} + k$ ,  $a_n = ra_{n-1}$ ,  $a_{n+2} = a_{n+1} + a_n$  to let students recognise how to represent a sequence by the relation between its terms.

When solving geometrical problems related to the sum of arithmetic or geometric sequences, students may sometimes need to apply the knowledge of Learning Unit 14 "More about Trigonometry". Teachers should thus note the order of learning and teaching of these related Learning Units.

The terms "arithmetic mean" and "geometric mean" **need not be** introduced when the property of the arithmetic sequence  $T_n = \frac{1}{2} (T_{n-1} + T_{n+1})$  and the property of the geometric sequence  $T_n^2 = T_{n-1} \times T_{n+1}$  are being discussed.

Learning Objective 7.5 may involve geometric problems about finding the sum to a finite number of terms of an arithmetic sequence or a geometric sequence. Learning Objective 7.6 may involve the geometric problems about finding the sum to infinity for a geometric sequence. Teachers may consider using real-life examples or related learning elements in Science Education or Technology Education KLAs, such as problems related to interest, growth or depreciation in Learning Objective 7.7, to enhance students' ability and confidence in applying mathematical knowledge or skills in real-life situations or STEM related scenarios.

Lea	arning Unit	Lear	ning Objective	Time
Nu	mber and Algeb	ra St	rand	
8.	Inequalities and linear programming	8.1 8.2 8.3 8.4	solve compound linear inequalities in one unknown solve quadratic inequalities in one unknown by the graphical method solve quadratic inequalities in one unknown by the algebraic method represent the graphs of linear inequalities in two unknowns in the rectangular coordinate plane solve systems of linear inequalities in two unknowns	16
		8.6	solve linear programming problems	

In Learning Unit 14 "Linear Inequalities in one unknown" at KS3, students learnt how to solve linear inequalities in one unknown and to represent the solution on the number line. In this Learning Unit, students are required to solve compound linear inequalities in one unknown involving logical connectives "and" or "or", quadratic inequalities in one unknown by using the graphical method and algebraic method, linear inequalities in two unknowns by the graphical method, and linear programming problems.

In Learning Objective 8.1, teachers should let students discover that, in solving compound linear inequalities in one unknown, the solutions of the two linear inequalities may, in general, divide the number line into three regions. The solutions of the compound inequalities can thus be obtained. Students are required to note that the solutions of "x > 3 and x < 5" and "x > 3 or x < 5" are different.

In Learning Unit 3S2 "Triangles" at KS1, students recognised that the sum of the lengths of any two sides of a triangle is greater than the length of the remaining side, but they do not know how to express these relations by inequalities. In this Learning Unit, students are required to consolidate their understanding of solving compound linear inequalities in one unknown by solving the problems of simple triangle inequalities.

When students are familiar with the features of quadratic graphs, they should be able to solve quadratic inequalities in one unknown by the graphical method. They are also

required to use the algebraic method to solve quadratic inequalities in one unknown.

In Learning Unit 9 "Linear equations in two unknowns" at KS3, students learnt how to draw the graphs of linear equations on the coordinate plane. Students understood that the graph of a linear equation in two unknowns (ax+by+c=0), where a and b are not all zero) is a straight line; all the coordinates of points lying on the straight line satisfy the linear equation in two unknowns; all the coordinates of points not lying on the straight line do not satisfy the linear equation in two unknowns. Teachers may thus further discuss with students the solution of linear inequalities in two unknowns. When solving linear inequalities in two unknowns, students are required to determine which region(s) bounded by the straight lines will correspond to the solutions of the linear inequalities. The method of testing values is one that can be easily mastered by students. Teachers may use information technology, such as dynamic geometry software, to discuss with students which points on the plane do/do not satisfy the linear inequalities in two unknowns.

In Learning Objective 8.5, students are required to use the graphical method to solve systems of linear inequalities in two unknowns. However, using the algebraic method to solve systems of linear inequalities in two unknowns is **not required** in the Curriculum.

When teaching Learning Objective 8.6, teachers may consider using real-life examples or related learning elements in Science Education or Technology Education KLAs, such as using linear programming to solve optimisation problems in mathematical modelling, to enhance students' ability and confidence in applying mathematical knowledge or skills in real-life situations or STEM related scenarios. Teachers should also provide their students with opportunities to discuss the problem solving strategies.

Learning Unit	Learning Objective	
Number and Algeb	ra Strand	
9. More about graphs of functions	<ul> <li>9.1 sketch and compare graphs of various types of functions including constant, linear, quadratic, trigonometric, exponential and logarithmic functions</li> <li>9.2 solve the equation f(x) = k using the graph of y = f(x)</li> <li>9.3 solve the inequalities f(x) &gt; k, f(x) &lt; k, f(x) ≥ k and f(x) ≤ k using the graph of y = f(x)</li> <li>9.4 understand the transformations of the function f(x) including f(x) + k, f(x + k), k f(x) and f(kx) from tabular, symbolic and graphical perspectives</li> </ul>	11

In Learning Unit 2, "Functions and graphs", students had a preliminary recognition of the concept of function. In this Learning Unit, they are required to compare the graphs of different functions, to solve equations and inequalities by using the graphical method, and to understand the concept of transformations of function.

Some students may regard expressions like y = 4 as merely solutions of some equations and even do not know how to draw the graph of y = 4 on the coordinate plane. Teachers should introduce the concept of "constant function" to their students. The students who do not study Learning Unit 3 "Exponential and logarithmic functions" (Non-foundation Topics) are **not required** to discuss the graphs of exponential functions and logarithmic functions. When comparing the graphs of different functions, students are required to compare their domains, existence of maximum or minimum values, symmetry and periodicity.

In Learning Objective 1.3, students learnt how to solve the quadratic equation  $ax^2 + bx + c = 0$  by reading the *x*-intercept(s) of the graph of  $y = ax^2 + bx + c$ . In Learning Objective 9.2, students are required to use the parabola  $y = ax^2 + bx + c$  and the straight line y = k to solve the quadratic equation  $ax^2 + bx + c = k$ . For example, from the graph of  $y = 2x^2 - 5x - 1$ , students should be able to solve not only the quadratic equation  $2x^2 - 5x - 1 = 0$ , but also the quadratic equation  $2x^2 - 5x - 4 = 0$  by making use of the

graph of the straight line y = 3. However, using the graph of  $y = 2x^2 - 5x - 1$  to solve quadratic equations such as  $2x^2 - 6x + 1 = 0$  is **not required** in the Curriculum.

Students are required to extend the method learnt in Learning Objective 8.2 to the functions other than quadratic functions. In other words, even though the function f(x) is not of the form  $ax^2 + bx + c$ , students are still required to know how to read the solution(s) of f(x) = k from the graph of y = f(x). They should be able to make use of the graph of y = f(x)and the straight line y = kto obtain the solutions of inequalities f(x) > k, f(x) < k,  $f(x) \ge k$  and  $f(x) \le k$ .

When exploring the transformations of functions, students may first observe the change of the relation between the independent and dependent variables by making use of the tabular form, and then use graphing software to compare the changes of the graphs of the functions after transformations. Teachers may encourage their students to adopt the approach of mathematical thinking from particular to general in obtaining the relations between the graphs of y = f(x) + k, f(x+k), kf(x), f(kx) and the original function y = f(x). During discussions, teachers should ask their students to apply the concepts and terminologies, e.g. translation and reflection, learnt in Learning Unit 26 "Rectangular coordinate system" at KS3, to describe the changes of the graphs. When discussing with students the transformation involving dilation such as k f(x) or f(kx), teachers should note that dilation is **not required** in the curriculum at KS3. On the other hand, teachers should guide their students to discuss the changes of functions in their algebraic forms resulting from the transformations of their graphs. For example, students are required to understand that the reflection of the graph of y = f(x) along the x-axis can be represented by y = -f(x). The changes of the algebraic forms of the functions are confined to f(x) + k, f(x+k), k, f(x), f(kx) or their combinations. That is to say, the rotation of the graphs of functions is **not required** in the Curriculum.

The concept of composition of functions is **not required** in the Curriculum. However, the graph of functions such as  $y = -x^2 + 4$  can be considered as a reflection of the graph of  $y = x^2$  in the x-axis, and a subsequent upward translation of 4 units along the y-axis.

Learning Unit	Learning Objective	Time
Measures, Shape a	nd Space Strand	
10. Equations of	10.1 understand the equation of a straight line	7
straight lines	10.2 understand the possible intersection of two straight lines	

In Learning Unit 9 "Linear equations in two unknowns" at KS3, students understood the graph of a linear equation in two unknowns. In Learning Objective 10.1, students are required to find the equation of a straight line from given conditions, such as:

- the coordinates of any two points on the straight line
- the slope of the straight line and the coordinates of a point on it
- the slope and the *y*-intercept of the straight line

In Learning Unit 12 "Locus", students should have an initial grasp of the concept of locus and solve simple problems on loci. Teachers may guide students to understand the relation between an equation and its graph from the perspective of locus, then to formulate the equation of a given graph, and understand the properties of the graph from its equation.

Based on the abilities and needs of their students, teachers may decide if the terms "Two-Point Form", "Point-Slope Form", "Slope-Intercept Form", etc. would be introduced or not. The conversions among different forms of linear equations are **not** objectives of the Curriculum. However, given the equation of a straight line, students are required to describe the features, including:

- the slope
- the intercepts with the axes
- whether it passes through a given point

In Learning Objective 10.1, students are required to recognise the relation between slope and inclination. Since the inclination may involve the tangent of an obtuse angle, teachers should note that students must have the pre-requisite knowledge in Learning Unit 14 "More about trigonometry" before learning this relation. The equation of a straight line in normal form is **not required** in the Curriculum.

In Learning Unit 9 "Linear equations in two unknowns", students are required to solve simultaneous linear equations in two unknowns. Students are required to recognise how to

tackle those simultaneous equations with no solutions, only one solution, and more than one solution by algebraic methods. Hence, students can go further in Learning Unit 10.2 to tackle those simultaneous equations with no solutions, and more than one solution by the graphical method.

The content of this Learning Unit may be used as the fundamental basis of other senior secondary level subjects, such as Physics and Economics. It is hence recommended that teachers should teach this Learning Unit in the first semester of Secondary Four for achieving alignment with other subjects smoothly. Teachers may use real-life examples or related learning elements in Science Education or Technology Education KLAs to enhance students' ability and confidence in applying mathematical knowledge or skills in real-life situations or STEM related scenarios.

Learning Unit	Learning Objective	
Measures, Shape a	nd Space Strand	
11. Basic properties of circles	<ul> <li>11.1 understand the properties of chords and arcs of a circle</li> <li>11.2 understand the angle properties of a circle</li> <li>11.3 understand the properties of a cyclic quadrilateral</li> <li>11.4 understand the tests for concyclic points and cyclic quadrilaterals</li> <li>11.5 understand the properties of tangents to a circle and angles in the alternate segments</li> </ul>	23
	11.6 <u>use the basic properties of circles to perform simple geometric proofs</u>	

In Learning Units 19-24 at KS3, students learnt the basic concept and proof of geometry. The content were mainly about rectilinear figures. In the Compulsory Part, the scope of study is extended to circles, and the learning process may still follow the same sequence of approaches, i.e. from intuitive to deductive. For example, to develop students' exploratory spirit and the capability to reason logically, teachers may ask their students to explore the basic geometric properties of circles by using dynamic geometry software, and subsequently to attempt to prove their conjectures under teachers' guidance. Teachers may refer to the C&A Guide (pp 99-100) for employing an inquiry approach to teach the properties of a cyclic quadrilateral. In this Learning Unit, teachers should discuss the concepts of tangency, incircle and circumcircle to articulate with the learning of Learning Unit 24 "Centres of triangles" at KS3.

In Learning Objectives 11.1–11.3, students are required to understand the basic properties of circles. Students not only have to know the properties and to use the properties to perform calculations, but also have to understand the justifications or proofs for these properties. However, using these properties to perform other simple geometric proofs belongs to the Non-foundation Topics.

The property that the length of an arc of a circle is proportional to the angle subtended at the centre was discussed in Learning Unit 16.1 at KS3, but teachers may remind their students that the length of a chord of a circle is not proportional to the angle subtended at

the centre.

In Learning Objective 11.1, students are required to understand the following properties of chords and arcs of a circle:

- the chords of equal arcs are equal
- equal chords cut off equal arcs
- the perpendicular from the centre to a chord bisects the chord
- the straight line joining the centre and the mid-point of a chord which is not a diameter is perpendicular to the chord
- the perpendicular bisector of a chord passes through the centre
- equal chords are equidistant from the centre
- chords equidistant from the centre are equal

Students are required to understand that there is one and only one circle passing through given three non-collinear points.

In Learning Objective 11.2, students are required to understand the following angle properties of a circle:

- the angle subtended by an arc of a circle at the centre is double the angle subtended by the arc at any point on the remaining part of the circumference
- angles in the same segment are equal
- the arcs are proportional to their corresponding angles at the circumference
- the angle in a semi-circle is a right angle
- if the angle at the circumference is a right angle, then the chord that subtends the angle is a diameter

In Learning Objective 11.3, students are required to understand the following properties of a cyclic quadrilateral:

- the opposite angles of a cyclic quadrilateral are supplementary
- an exterior angle of a cyclic quadrilateral equals its interior opposite angle

In Learning Objective 11.4 (Non-foundation Topics), students are required to understand the following tests for concyclic points and cyclic quadrilaterals:

- if A and D are two points on the same side of the line BC and  $\angle BAC = \angle BDC$ , then A, B, C and D are concyclic
- if a pair of opposite angles of a quadrilateral are supplementary, then the quadrilateral is cyclic
- if the exterior angle of a quadrilateral equals its interior opposite angle, then the quadrilateral is cyclic

In Learning Objective 11.5 (Non-foundation Topics), students are required to understand the following properties of tangents to a circle and angles in the alternate segments:

- a tangent to a circle is perpendicular to the radius through the point of contact
- the straight line perpendicular to a radius of a circle at its external extremity is a tangent to the circle
- the perpendicular to a tangent at its point of contact passes through the centre of the circle
- if two tangents are drawn to a circle from an external point, then:
  - the distances from the external point to the points of contact are equal
  - the tangents subtend equal angles at the centre
  - the straight line joining the centre to the external point bisects the angle between the tangents
- if a straight line is tangent to a circle, then the tangent-chord angle is equal to the angle in the alternate segment
- if a straight line passes through an end point of a chord of a circle so that the angle it makes with the chord is equal to the angle in the alternate segment, then the straight line touches the circle

In Learning Objective 11.6 (Non-foundation Topics), students are required to use the basic properties of circles to perform simple geometric proofs. The problems involved may not be restricted to the contents of this Learning Unit. According to students' abilities, teachers may add some problems involving knowledge of geometry such as quadrilaterals, centres of triangles, etc. which students learnt at KS3.

Learning Unit	Learning Objective	Time
Measures, Shape and Space Strand		
12. Loci	12.1 understand the concept of loci	6
	12.2 describe and sketch the locus of points satisfying given conditions	
	12.3 describe the locus of points with algebraic equations	

To introduce the concept of loci, teachers may make use of daily examples such as long exposure photographs of headlights of moving cars and star trails. Students may make use of dynamic geometry software to explore the locus of a point moving under the given condition, but they are required to understand that a locus does not necessarily involve the movement of points. For example, all points which are at a fixed distance from a fixed point constitute the locus of a circle.

In Learning Objective 12.2, students are required to describe a locus in words, and to sketch its graph. In Learning Objective 12.3, students are required to use algebraic equations to represent locus of points. When finding the equations of loci, students are also required to make use of the knowledge learnt at KS3, e.g. the related knowledge of using the distance formula in Learning Unit 26 "Rectangular coordinate system" at KS3 to find the equation of the locus of points maintaining an equal distance from two given points.

In Learning Objective 12.2, students are required to describe and sketch the following locus of points satisfying given conditions:

- maintaining a fixed distance from a fixed point
- maintaining an equal distance from two given points
- maintaining a fixed distance from a line
- maintaining an equal distance from two parallel lines
- maintaining an equal distance from two intersecting lines

In this Learning Unit, students are required to find the equations of loci of straight lines, circles, and parabolas of the form  $y = ax^2 + bx + c$  under given conditions. The equations of straight lines and circles will be discussed in detail in Learning Unit 10 "Equations of straight lines" and Learning Unit 13 "Equations of circles".

Learning Unit	Learning Objective	Time
Measures, Shape and Space Strand		
13. Equations of circles	<ul> <li>13.1 understand the equation of a circle</li> <li>13.2 <u>find the coordinates of the intersections of a straight line and a circle and understand the possible intersection of a straight line and a circle</u></li> </ul>	7

In this Learning Unit, when handling questions related to the equations of circles, the learning content covered in Learning Unit 11 "Basic properties of Circles" may be involved.

Students are required to find the equation of a circle from given conditions such as:

- the coordinates of the centre and the radius of the circle
- the coordinates of any three points on the circle

Students are required to describe the features of a circle from its equation. The features include:

- the centre
- the radius
- whether a given point lies inside, outside or on the circle

Students taking Learning Objective 5.2 (Non-foundation Topics) have an understanding of using algebraic methods to solve simultaneous equations in two unknowns, one linear and one quadratic. In Learning Objective 13.2 (Non-foundation Topics), students may apply this knowledge to deduce that there are three possible cases to describe the intersections of a circle and a straight line. As a result, they may use the discriminant of a quadratic equation to determine the number of points of intersection of a straight line and a circle, and to find the equations of tangents to the circle. On the other hand, teachers may guide students to use plane geometry to prove that no straight line can cut a circle at more than two points.

Learning Unit	Learning Objective	Time
Measures, Shape a	nd Space Strand	
14. More about trigonometry	14.1 understand the functions sine, cosine and tangent, and their graphs and properties, including maximum and minimum values and periodicity	25
	<ul> <li>14.2 solve the trigonometric equations a sin θ = b, a cos θ = b, a tan θ = b (solutions in the interval from 0° to 360°) and other trigonometric equations (solutions in the interval from 0° to 360°)</li> <li>14.3 understand the formula ½ ab sin C for areas of triangles</li> </ul>	
	<ul> <li>14.4 understand the sine and cosine formulae</li> <li>14.5 understand Heron's formula</li> <li>14.6 understand the concept of projection</li> <li>14.7 understand the angle between a line and a plane, and the angle between 2 planes</li> <li>14.8 understand the theorem of three perpendiculars</li> <li>14.9 solve related 2-dimensional and 3-dimensional problems</li> </ul>	

Students understood the sine, cosine and tangent ratios for an acute angle in a right-angled triangle in Learning Unit 27 "Trigonometry" at KS3. Teachers may now use a unit circle in the rectangular coordinate plane to define trigonometric functions, and to introduce the concepts of positive angles and negative angles. Students should be able to find the maximum and minimum values of trigonometric functions. They should also be able to obtain the periodicity of trigonometric functions from their graphs, and to simplify sine, cosine and tangent expressions involving  $-\theta$ ,  $90^{\circ} \pm \theta$ ,  $180^{\circ} \pm \theta$  ...etc., according to the periodicity of the functions. Radian measure, a Learning Objective in Module 2 of the Extended Part, is **not required** in the Compulsory Part.


In Learning Objective 14.2, solving the trigonometric equations  $a\sin\theta = b$ ,  $a\cos\theta = b$  and  $a\tan\theta = b$  belongs to the Foundation Topics, while solving other trigonometric equations such as  $\sin 2\theta = 0.5$ ,  $\sin \theta = 2\cos\theta$  and  $\tan \theta - \cos(90^{\circ} - \theta) = 0$  belongs to

the Non-foundation Topics. Moreover, solving the equations that can be transformed into quadratic equations, such as  $6\sin^2\theta + 5\sin\theta + 1 = 0$  and  $\tan\theta = \cos\theta$ , belongs to the Non-foundation Topics (see Learning Objective 5.3).

In Learning Unit 18 "Mensuration" at KS3, students recognised the projection of a point on a plane and the concept of height of a 3-D figure. Students recognised the definition of a straight line being perpendicular to a plane, which is: "The straight line is perpendicular to any straight lines on the plane passing through the intersecting point of the original straight line and the plane". Students also recognised the condition for a straight line being perpendicular to a plane, which is "a straight line is perpendicular to two straight lines on a plane passing through the intersecting point of the original straight line and the plane". The concept of projection would further be discussed in Learning Objective 14.6 of the Compulsory Part, including the projection of a straight line on a plane. These concepts help students understand Learning Objective 14.7 and 14.8. The concept of inclination/angle of inclination is required in Learning Objective 14.7. Teachers may introduce the concept of the line of greatest slope.

As the theorem of three perpendiculars is involved to solve a variety of 3-dimensional problems, students are required to understand the following theorem of three perpendiculars and their proofs in Learning Objective 14.8:

The projection of a straight line L on a plane  $\pi$  is a straight line L', and L and L' intersect a straight line  $L_1$  on  $\pi$  at the same point. If L' is perpendicular to  $L_1$ , then L is perpendicular to  $L_1$ ; vice versa.



In Learning Objective 14.9, students are required to solve related 3-dimensional problems, including the angle of intersection between two straight lines, the angle between a line and a plane, the distance between two points, the distance between a point and a line, and the distance between a point and a plane.

Learning Unit	Learning Objective	Time
<b>Data Handling Str</b>	and	
15. Permutations and combinations	15.1 <u>understand the addition rule and multiplication rule in the counting principle</u> 15.2 <u>understand the concept and notation of permutation</u>	11
	15.3 solve problems on the permutation of distinct objects without repetition	
	<ul> <li>15.4 <u>understand the concept and notation of combination</u></li> <li>15.5 <u>solve problems on the combination of distinct objects without repetition</u></li> </ul>	

Through different key stages, students acquired an intuitive idea on counting. In this Learning Unit, students are required to have an in-depth understanding on the basic counting principle, including knowing when to apply the addition rule and the multiplication rule. Besides, students should also be able to solve more complicated real-life problems through permutation and combination.

When explicating the concepts of permutation and combination, teachers may feel free to choose any common notations, such as  $P_r^n$ ,  $_nP_r$ ,  $^nP_r$  and  $C_r^n$ ,  $_nC_r$ ,  $^nC_r$ ,  $^nC_r$ ,  $^nC_r$ . To facilitate students to read reference books, teachers should introduce other commonly used notations in addition to the chosen ones.

In this Learning Unit, students are required to understand the differences between permutation and combination. They are also required to understand the relations  $C_r^n = \frac{P_r^n}{r!}$  and  $C_r^n = C_{n-r}^n$ . More complicated properties of permutation or combination, such as  $C_r^n + C_{r-1}^n = C_r^{n+1}$ , are **not required** in the Compulsory Part.

There is a wide variety of problems on permutation and combination. Only solving simple problems on permutation and combination, such as "permutation of objects in which three particular objects are put next to each other", are required in this Learning Unit. Solving problems involving circular permutation, and permutation or combination of identical

objects or distinct objects with repetitions, are **not required** in the Curriculum.

Learning Unit	Learning Objective	Time
Data Handling Stra	and	
16. More about probability	16.1 recognise the notation of set language including union, intersection and complement	10
	16.2 <u>understand the addition law of probability and the concepts of mutually exclusive events and complementary events</u>	
	16.3 <u>understand the multiplication law of probability and the</u> <u>concept of independent events</u>	
	16.4 recognise the concept and notation of conditional probability	
	16.5 <u>use permutation and combination to solve problems</u> related to probability	

Having learnt the basic concept of probability and how to use counting methods to calculate probabilities in Learning Unit 31 "Probability" at KS3, students are required, in the Compulsory Part, to use the addition law and the multiplication law of probability to solve more complicated probability problems. Further problems on probability will be treated in Module 1 of the Extended Part.

In order to express the relation between different events (including mutually exclusive, complementary and independent events) and the addition law and multiplication law of probability, the events in this Learning Unit are all expressed in set notations. In this connection, before learning the contents of Learning Objectives 16.2 - 16.5, students are required to recognise the basic concepts of sets, which include expressing sets by listing the elements, using descriptions to characterise the elements and Venn diagrams. Students are also required to recognise the concepts and notations of empty set, universal set, union, intersection and complement which often appear in probability problems, but the rigorous definitions of these concepts and rules of set operations, such as De Morgan's Law, are **not required** in the Compulsory Part.

In Learning Objective 16.2, students are required to understand the addition law of probability, i.e. " $P(A \cup B) = P(A) + P(B) - P(A \cap B)$ ".

In Learning Objective 16.3, students are required to understand the multiplication law of probability, i.e. " $P(A \cap B) = P(A) \times P(B)$ , where A and B are independent events". Students are also required to understand that " $P(A \cap B) = P(A) \times P(B)$ " may be regarded as the definition of independent events. Students should not determine whether two events are independent by intuition.

When applying the addition rule and multiplication rule of probability, students are required to understand how the special cases of the rules under particular conditions, say when *A* and *B* are mutually exclusive events. Furthermore, when the multiplication rule is being introduced, students are required to recognise the concept and the notation of conditional probability, and be able to solve problems related to simple conditional probability. However, Bayes' Theorem is **not required** in the Compulsory Part, and will be treated in Module 1 of the Extended Part.

In Learning Objective 16.4, students are required to recognise the rule " $P(A \cap B) = P(A) \times P(B \mid A)$ ".

Students who learnt Learning Unit 15 "Permutation and Combination" (Non-foundation Topics) are required to apply the techniques of counting to solve problems related to probability.

Learning Unit	Learning Objective	Time
Data Handling Str	and	
17. Measures of dispersion	<ul> <li>17.1 understand the concept of dispersion</li> <li>17.2 understand the concepts of range and inter-quartile range</li> <li>17.3 construct and interpret the box-and-whisker diagram and use it to compare the distributions of different sets of data</li> <li>17.4 understand the concept of standard deviation for both grouped and ungrouped data sets</li> </ul>	13
	<ul> <li>17.5 compare the dispersions of different sets of data using appropriate measures</li> <li>17.6 understand the applications of standard deviation to real-life problems involving standard scores and the normal distribution</li> <li>17.7 understand the effect of the following operations on the dispersion of the data: <ul> <li>(i) adding a common constant to each item of the set of data</li> <li>(ii) multiplying each item of the set of data by a common constant</li> </ul> </li> </ul>	

At KS2, students learnt a simple way to measure the central tendency of a set of discrete data – average. At KS3, they learnt other ways of measuring the central tendency for both ungrouped and grouped data. In the Compulsory Part, they are required to know further that, in many cases, only central tendency is not enough for describing the distribution of a set of data. Students are required to understand the concepts of dispersion, range and inter-quartile range, and they should be able to construct and interpret the box-and-whisker diagrams, sometimes called "boxplots". Given a set of ungrouped or grouped data, students should be able to find its standard deviation, and understand its meaning. Moreover, they should be able to choose an appropriate measure to compare the dispersions of different sets of data.

As "variance" is a commonly used term, students are required to recognise this term and that variance equals to the square of standard deviation. Further calculations involving variance will be studied in Module 1 of the Extended Part. In the Compulsory Part, the formula for standard deviation is confined to population standard deviation only, i.e.

$$\sigma = \sqrt{\frac{(x_1 - \mu)^2 + ... + (x_N - \mu)^2}{N}}$$
. The formula for the estimate of the standard deviation

of the population from which a sample has been taken will be treated in Module 1 of the Extended Part.

Students who learnt Learning Objective 17.6 (Non-foundation Topics) are required to understand the simple applications of standard deviation on real-life problems involving standard scores and the normal distribution. Teachers may use real-life examples or related learning elements in Science Education or Technology Education KLAs to enhance students' ability and confidence in applying mathematical knowledge or skills in real-life situations or STEM related scenarios. During the calculation process, students are **not required** to look up the table of normal distribution or memorise the percentages of data lying within 1, 2, or 3 standard deviations from the mean. In Learning Objective 17.7 (Non-foundation Topics), students are required to explore how the changes of some of the data within the group will affect the dispersion. As a result, students are expected to have a more in-depth understanding of the properties of different statistics.

Learning Unit	Learning Objective	Time
Data Handling Strand		
18. Uses and abuses of statistics	<ul> <li>18.1 recognise different techniques in survey sampling and the basic principles of questionnaire design</li> <li>18.2 discuss and recognise the uses and abuses of statistical methods in various daily-life activities or investigations</li> <li>18.3 assess statistical investigations presented in different sources such as news media, research reports, etc.</li> </ul>	4

At primary and junior secondary levels, students had experience in statistical methods, in particular, data collection, presentation and interpretation of statistical diagrams and statistical charts. They had a basic understanding of the concept of statistic. At the senior secondary level, they are required to have a more thorough recognition of real-life statistics.

The concepts of populations and samples may be introduced by quoting several daily examples. Students are required to know why survey sampling is almost inevitable in daily statistics, and recognise different techniques in survey sampling. Regarding sampling techniques, students are required to recognise the basic concepts of both probability sampling and non-probability sampling. However, it should be noted that calculations involving survey sampling, such as the calculation of standard deviations of samples, are **not required** in the Compulsory Part. Since questionnaire is a very commonly used means to collect data, students are required to recognise how the factors such as the types, wording and ordering of questions and response options can influence the reliability and validity of questionnaires when constructing questionnaires.

Students acquainted themselves at KS3 with the uses and abuses of statistical diagrams/charts and measures of central tendency. In the Compulsory Part, students are required to discuss further the uses and abuses of statistical methods in various daily-life activities or investigations. Discussions including the purpose of survey, the sampling method adopted, the way of collecting data and the method of analysis are required. Moreover, students should be able to have a more thorough analysis of statistical investigations presented in different sources such as news media and research reports. Analyses of the sampling method of data collection, design of questionnaires, organisation and presentation of data, statistical analysis and inferences should be included. Students are expected to be able to integrate the statistical knowledge learnt at different stages.

Learning Unit	Learning Objective	Time
Further Learning	Unit	
19. Further applications	Solve more sophisticated real-life and mathematical problems that may require students to search the information for clues, to explore different strategies, or to integrate various parts of mathematics which they have learned in different areas  The main focuses are:  (a) to explore and solve more sophisticated real-life problems  (b) to appreciate the connections between different areas of mathematics	14

This Learning Unit is different from the application topics in other Learning Units. It does not aim at learning some particular mathematical knowledge, but it allows students to appreciate the connections between different areas of mathematics through exploring and solving more sophisticated real-life problems and to develop their ability to integrate and apply what they have learnt in different Learning Units. Teachers may consider using real-life examples or related learning elements in Science Education or Technology Education KLAs, including mathematical modelling, to enhance students' ability and confidence in applying mathematical knowledge or skills in real-life situations or STEM related scenarios, such as the examples suggested in the C&A Guide (pp. 38 – 39):

- solve simple financial problems in areas such as taxation and instalment payment
- analyse and interpret data collected in surveys
- explore and interpret graphs related to real-life situations
- explore Ptolemy's Theorem and its applications
- model the relation between two sets of data which show a strong linear correlation and explore how to reduce simple non-linear relations such as  $y = m\sqrt{x} + c$  and  $y = k a^x$  to linear relations
- explore the relation between the Fibonacci sequence and the Golden Ratio
- explore the Ceva's Theorem and its applications
- analyse mathematical games (e.g. explore the general solution of the water puzzle)

Teachers may, based on their students' abilities and needs, choose other more appropriate topics for their students. Moreover, teachers should allow their students to search the information for clues, explore different strategies and avoid giving too many hints to students.

Learning Unit	Learning Objective	Time
Further Learning Unit		
20. Inquiry and investigation	Through various learning activities, discover and construct knowledge, further improve the ability to inquire, communicate, reason and conceptualise mathematical concepts	10

This Learning Unit aims at providing students with more opportunities to engage in the activities that avail themselves of discovering and constructing knowledge, further improving their abilities to inquire, communicate, reason and conceptualise mathematical concepts when studying other Learning Units. In other words, this is not an independent and isolated learning unit, and the activities may be conducted in different stages of a lesson, such as motivation, development, consolidation or assessment. Related activities could be cross-learning unit activities and cross-KLA activities that based on mathematical topics.

Teachers may use the time allocated for this Learning Unit to arrange meaningful mathematical exploratory activities and extended cross-KLAs (including STEM-related) learning and teaching activities. For example, students may be given opportunities to integrate and apply the knowledge and skills learnt in Mathematics through concepts on mathematical modelling, that students may use mathematical language to pose and analyse real life problem, and try to solve the problems.

# Acknowledgements

We would like to thank the members of the following Committees and Working Group for their invaluable comments and suggestions in the compilation of this booklet.

CDC Committee on Mathematics Education

CDC-HKEAA Committee on Mathematics Education (Senior Secondary)

Ad Hoc Committee on Secondary Mathematics Curriculum (Junior Secondary and Compulsory Part of Senior Secondary)

