

香港地質 GEOLOGY OF HONG KONG

Edison Tse



土力工程處 Geotechnical Engineering Office
土木工程拓展署 Civil Engineering and Development Department



內容

Contents

- Fundamentals
基礎
- Major rock types in Hong Kong
香港主要的岩石種類
- Geological history of Hong Kong
香港的地質歷史

Geology

地質學

Physical Geology

普通地質學

Natural History

自然歷史

Applied Science

應用科學

Mineralogy

礦物學

Petrology

岩石學

Structural geology

構造地質學

Palaeontology

古生物學

Stratigraphy

地層學

Engineering geology


工程地質學

Economic geology

經濟地質學

Hydrogeology

水文地質學



岩石與礦物

Rocks & Minerals


鹼性長石
Alkali Feldspar




石英
Quartz



斜長石
Plagioclase




雲母
Mica



變質粉砂岩
Metasiltstone



花崗岩
Granite




岩石種類

Types of Rocks


- Igneous Rocks

火成岩




- Sedimentary Rocks

沉積岩



- Metamorphic Rocks


變質岩




岩石循環

Rock Cycle

岩石在地球表面之深處熔融而形成岩漿。
Magma forms when rock melts deep beneath the Earth's surface.




岩漿冷卻及凝固便形成火成岩。
When magma cools and solidifies, igneous rock forms.



當深埋在地殼下的沉積岩受熱、受壓、及/或在熱溶液情況下會變為變質岩。


When sedimentary rock is buried deep in the crust, heat, pressure and/or hot fluid cause it to become metamorphic rock.




噴出性火成岩
Extrusive igneous rocks

沉積物
Sediments


構造活動將深埋的岩石向上推高；岩石遭風化後，剝落的碎屑被搬運及沉積成沉積物。
Tectonic activities uplift buried rock; Weathering breaks down rock that is transported and deposited as sediment.



沉積物被埋藏、緊壓和凝結成沉積岩。
Sediment is buried, compacted and cemented to form sedimentary rock.



火成岩 Igneous Rocks



- Formed from cooling of magma
- Subdivided into “intrusive” and “extrusive” rocks

Intrusive igneous rocks 侵入岩


- Underground magma intruding within the country rocks
- Coarse-grained texture with interlocking minerals
- e.g. granite, quartz monzonite

Extrusive igneous rocks 噴出岩

- Magma extruding above the ground surface
- Fine-grained texture
- e.g. lava, tuff


火成岩 Igneous Rocks

Intrusive igneous rocks 侵入岩
QAP Diagram



Granite - 花崗岩
Granodiorite - 花崗閃長岩
Quartz Monzonite - 石英二長岩

Extrusive igneous rocks 噴出岩
TAS Diagram




Rhyolite - 流紋岩
Dacite - 英安岩
Andesite - 安山岩
Trachyte - 粗面岩
Basalt - 玄武岩

火成岩 Igneous Rocks

Pyroclastic Rocks 火山碎屑岩

Classification by composition




Vitric tuff - 玻屑凝灰岩

Crystal tuff - 晶屑凝灰岩

Lithic tuff - 岩屑凝灰岩

Classification by clast size



Fine ash tuff - 細火山灰凝灰岩


Coarse ash tuff - 粗火山灰凝灰岩

Lapilli tuff - 火山礫凝灰岩

Tuff breccia - 角礫凝灰岩

Pyroclastic breccia - 火山碎屑角礫岩

沉積岩 Sedimentary Rocks




Conglomerate - 碓岩
 Breccia - 角砾岩
 Sandstone - 砂岩
 Mudstone - 泥岩



Source: Geoguide 3

變質岩 Metamorphic Rocks


片理化變質岩	Foliated metamorphic rocks
Slate - 板岩	
Phyllite - 千枚岩	
Schist - 片岩	
Quartzite - 石英岩	
Marble - 大理石	
非片理化變質岩	Non-foliated metamorphic rocks




地質年代

Geological Time

ERA 代	PERIOD 時期
新生代 CENOZOIC 66	QUATERNARY 第四紀
	NEOGENE 新近紀
	PALAEOLGENE 古近紀
中生代 MESOZOIC 252	CRETACEOUS 白堊紀
	JURASSIC 侏羅紀
	TRIASSIC 三疊紀
古生代 PALAEozoic 541	PERMIAN 二疊紀
	CARBONIFEROUS 石炭紀
	DEVONIAN 泥盆紀
	SILURIAN 志留紀
	ORDOVICIAN 奧陶紀
	CAMBRIAN 寒武紀
Ma	PRECAMBRIAN 前寒武紀




Geological Map of Hong Kong 香港地質圖




Geological Map of Hong Kong


香港地質圖



古生代岩石分布 Distribution of Palaeozoic Rocks





黃竹角嘴組 Bluff Head Formation



Placoderm Plate

元朗組 Yuen Long Formation



Long Ping Member: Impure Marble




Ma Tin Member: Pure White Marble

落馬洲組 Lok Ma Chau Formation




Mai Po Member: Graphite 'Schist'




Tai Shek Mo Member: Metasiltstone


大埔海組 Tolo Harbour Formation




Coral Fossil




早中生代沉積岩分布 Distribution of Early Mesozoic Sedimentary Rocks



赤門海峽組 & 大澳組 Tolo Channel & Tai O Formations




Ammonite Fossil




火山群

Volcanic Groups



屯門組 Tuen Mun Formation




荃灣火山群

Tsuen Wan Volcanic Group



Tsuen Wan
Volcanic Group

- Sai Lau Kong Formation
- Tai Mo Shan Formation
- Shing Mun Formation
- Yim Tin Tsai Formation




大嶼山火山群

Lantau Volcanic Group







Lantau
Volcanic Group



Lai Chi Chong Formation
Undifferentiated

淺水灣火山群 Repulse Bay Volcanic Group





滘西洲火山群 Kau Sai Chau Volcanic Group



Kau Sai Chau
Volcanic Group

High Island Formation
Clear Water Bay Formation
Undifferentiated




metres
Centimetres
Blue Cyan Green Yellow Red Magenta White 3/Color Black

KODAK Color Control Patches


糧船灣超級噴發

High Island Supereruption





侵入岩套

Intrusive Suites




獅子山
岩套




長洲
岩套

葵涌
岩套


南丫島
岩套



晚中生代至早新生代沉積岩 Late Mesozoic to Cenozoic Sedimentary Rock



晚中生代至早新生代沉積岩 Late Mesozoic to Cenozoic Sedimentary Rock



(Source: Sewell et al., 2000)

LEGEND

- EPC Early Tertiary : Ping Chau Formation
 - KKO Late Cretaceous : Kat O Formation
 - KPI Late Cretaceous : Port Island Formation (Hong Kong)
 - KPS Early Cretaceous : Pat Sin Leng Formation
 - Jurassic Volcanic rocks



Boulders of Pat Sin Leng Formation



Thrust



Strike and dip



Geological boundary interpreted from seismic data



Geological boundary (solid-certain,
broken-inferred)



Borehole



Devonian sedimentary rocks





Margin of Pat Sin Leng Basin


白堊紀紅層 Cretaceous Red Beds



白堊紀紅層 Cretaceous Red Beds




平洲組 Ping Chau Formation




冰川期沉積環境

Depositional Environment at Glacial Periods



全新世沉積環境


Depositional Environment of Holocene Sediments




現今地貌

Present Landscape





- **Quaternary:**
Changes in climate and sea level
Deposition of superficial deposits
- **Late Mesozoic to Cenozoic:**
Extensional setting
Sedimentation in opened basins
- **Middle Mesozoic:**
Marine and fluvial sedimentation
Subduction-related magmatism
- **Palaeozoic:**
Sedimentation in response to changes in sea levels



<http://hkss.cedd.gov.hk/hkss/eng/education/GS/eng/hkg/indexe.htm>